


Diş Sayısı Z	Diş Üstü Çapı da	Bölüm Dairesi Çapı do	Diş Dibi Çapı df	Delik Çapı dm	Göbek Çapı d _{gmax}	Tek Sıra	
						A	Göbek Çapı d _{gmin}
8	18.0	15.68	11.68	-	9	10	8
9	19.9	17.54	13.54	-	11	10	10
10	21.7	19.42	15.42	-	12	10	11
11	23.6	21.30	17.30	-	14	10	13
12	25.4	23.18	19.18	-	16	10	15
13	27.3	25.07	21.07	-	18	10	17
14	29.2	26.96	22.96	8	20	10	19
15	31.0	28.86	24.86	8	22	10	20
16	33.0	30.75	26.75	8	24	13	20
17	35.0	32.65	28.65	8	26	13	20
18	36.9	34.55	30.55	8	28	13	20
19	38.8	36.45	32.45	8	29	13	20
20	40.7	38.35	34.35	8	31	13	20
21	42.6	40.26	36.26	8	33	13	25
22	44.5	42.16	38.16	8	35	13	25
23	46.4	44.06	40.06	8	37	13	25
24	48.3	45.97	41.97	8	39	13	25
25	50.2	47.87	43.87	8	41	13	25
26	52.1	49.78	45.78	8	43	15	30
27	54.0	51.68	47.68	8	45	15	30
28	55.9	53.59	49.59	8	47	15	30
29	57.8	55.49	51.49	8	48	15	30
30	59.8	57.40	53.40	8	50	15	30
31	61.7	59.31	55.31	8	52	15	30
32	63.6	61.21	57.21	8	54	15	30
33	65.5	63.12	59.12	8	56	15	30
34	67.4	65.03	61.03	8	58	15	30
35	69.3	66.93	62.93	8	60	15	30
36	71.2	68.84	64.84	8	62	15	30
37	73.1	70.75	66.75	8	64	15	30
38	75.0	72.66	68.66	8	66	15	30
39	76.9	74.57	70.57	8	68	15	30
40	78.9	76.47	72.47	8	69	15	30
41	80.8	78.38	74.38	10	71	18	40
42	82.7	80.29	76.29	10	73	18	40
43	84.7	82.20	78.20	10	75	18	40
44	86.6	84.11	80.11	10	77	18	40
45	88.5	86.01	82.01	10	79	18	40
46	90.4	87.92	83.92	10	81	18	40
47	92.3	89.83	85.83	10	83	18	40
48	94.2	91.74	87.74	10	85	18	40
49	96.1	93.65	89.65	10	87	18	40
50	98.0	95.56	91.56	10	89	18	40
51	99.9	97.46	93.46	12	90	18	40
52	101.8	99.37	95.37	12	92	18	40
53	103.7	101.28	97.28	12	94	18	40
54	105.6	103.19	99.19	12	96	18	40
55	107.6	105.10	101.10	12	98	18	40
56	109.5	107.01	103.01	12	100	18	40
57	111.4	108.92	104.92	12	102	18	40
58	113.3	110.83	106.83	12	104	20	50
59	115.2	112.73	108.73	12	106	20	50
60	117.1	114.64	110.64	12	108	20	50
62	120.9	118.46	114.46	14	111	20	50
64	124.7	122.28	118.28	14	115	20	50
65	126.6	124.19	120.19	14	117	20	50
66	128.5	126.10	122.10	14	119	20	50
68	132.4	129.92	125.92	14	123	20	50
70	136.2	133.74	129.74	14	127	20	50
72	140.0	137.55	133.55	16	131	20	50
75	145.7	143.28	139.28	16	136	20	50
76	147.6	145.19	141.19	16	138	20	50
78	151.5	149.01	145.01	16	142	30	75*
80	155.3	152.83	148.83	16	146	30	75*
85	164.8	162.38	158.38	16	155	30	75*
90	174.4	171.92	167.92	16	165	30	75*
95	183.9	181.47	177.47	16	174	30	80*
100	193.5	191.02	187.02	16	184	30	80*
110	212.6	210.11	206.11	16	203	30	85*
114	220.2	217.75	213.75	16	211	30	85*
120	231.7	229.21	225.21	16	222	30	85*
125	241.2	238.76	234.76	16	232	30	85*

6 x 2,8 mm



DIN 8187 ISO/R 606

STANDART ZİNCİR DİŞLİ
04 A / B 1

TİP A



TİP B



DİŞLİ	mm
r	6
C	0.7
B1	2.6
04A Z>50 ise F	4
04B Z>65 ise F	4

ZİNCİR	mm
Adım	6
Zincir Ara Geniřlięi	2.8
Makara apı Ø D	4

* Kaynaklı Gbk

